



District of Columbia Citizen Science Water Quality Monitoring Report 2025



ALLIANCE
for the Chesapeake Bay

★ ★ ★ DEPARTMENT
OF ENERGY &
ENVIRONMENT

WE ARE
WASHINGTON
DC GOVERNMENT OF THE
DISTRICT OF COLUMBIA
MURIEL BOWSER, MAYOR

Executive Summary |



1 Precipitation

After rain, pollutants including bacteria can be washed into streams and rivers across DC through **stormwater runoff**. We consistently found higher bacteria levels after rain.

2 Mainstem vs. Tributaries

Mainstem river sites have higher **water volume** than streams, which helps dilute bacteria. Streams usually weave closer to urbanized areas, so stormwater runoff has a more immediate effect on them

3 Wastewater infrastructure

A major source of bacteria is from wastewater systems. DC Water's [Clean Rivers Project](#) builds new overflow tunnels and fixes aging sewer pipes. Sites affected by completed projects have better water quality.

Good Recreational Water Quality

Kingman Island (AR-3)
Buzzard Point (AR-6)
Washington Channel (AR-7)
Fletcher's Cove (PR-2)
Tidal Basin (PR-6)

What do these have in common?

They are on the **mainstem** of rivers, so they get a lot of water flowing through the sites, which dilutes these sites' bacteria levels. They are also generally further **downstream** and far from combined sewer outfalls.

Poor Recreational Water Quality

Hickey Run (AR-2)
Watts Branch (WB-1 & WB-2)
Rock Creek at Juniper St. (RC-1)
Normanstone Run (RC-7)

What do these have in common?

These sites are particularly unsafe for human and pet contact. They are small streams, so they have relatively little water flow. These sites' bacteria levels are heavily influenced by precipitation and weaknesses in wastewater infrastructure. Major repairs to local sewer infrastructure are needed.

We encourage you to check the water quality before recreating and avoid contact with water for 72 hours after rain. During the summer, weekly results can be found on the Chesapeake Monitoring Cooperative's [Data Explorer](#), the [Alliance for the Chesapeake Bay website](#), and social media. Share this data and knowledge with your community to raise awareness about water quality in the District.

Introduction

Table of Contents

2 Introduction

3 Project Overview

5 Results Snapshot

7 Watershed Trends

*Anacostia River
Potomac River
Rock Creek*

13 Volunteer Highlights

14 Conclusion

16 Appendix

Swimming has been illegal in District waters since the 1970s. The swim ban was established to protect human health as waters throughout the District have historically suffered from poor water quality. Today, recreation along waters in the District is increasingly popular, despite variable water quality. In order for people to safely enjoy our local waterways, timely water quality data needs to be available to the public so they can make informed decisions about their potential water-contact recreation activities like rowing, boating, kayaking, fishing, and walking on trails with stream crossings.

In 2018, the District of Columbia Department of Energy and Environment (DOEE) awarded a grant to Anacostia Riverkeeper and their partners to establish a volunteer-based water quality monitoring program in District waters and provide up-to-date information about the safety of the water near popular recreation sites. The summer of 2025 marked the seventh year of this project, with Alliance for the Chesapeake Bay currently implementing the project along with partners; Anacostia Riverkeeper, Nature Forward, and Rock Creek Conservancy.

As in most urban watersheds, sewage and stormwater runoff are the biggest contributors to high bacteria levels in District waters. DC's wastewater system is split into two types: a combined sewer system (CSS) and a Municipal Separate Stormwater Sewer System (MS4). In areas serviced by CSS, rainwater and sewage are combined, which can lead to overflows of sewage (CSOs) into rivers after rain events. MS4 maintains separate piping for rainwater and sewage, and rainwater flows directly into waterways without being treated.

Climate change is leading to more significant storm events, increasing stormwater runoff and the frequency of CSOs. Infrastructural improvements have made important strides in mitigating stormwater and improving water quality across the District. Tunnels built by the DC Water [Clean Rivers Project](#) have reduced CSOs by holding excess water from heavy rain events that would otherwise overflow into the river. The Anacostia Tunnel was completed in 2018, the Northeast Boundary Tunnel was completed in 2023, and the Potomac River Tunnel broke ground in May 2024 and is set to be completed in 2030.

This report covers key data and takeaways from citizen science monitoring from the 2025 season and gives insight into recreational water quality near popular recreation sites across the District.

Project Overview

Volunteer citizen science monitors collect water quality samples and measurements on Wednesday mornings from 24 sites across the Anacostia River, Potomac River, and Rock Creek for 20 weeks from May to September. At each site, monitors measure air temperature, water temperature, and pH, collect water samples for bacteria and turbidity analysis, and record observations about the site (stream flow, odor, debris, recreation, etc.). Water samples are then analyzed at Anacostia Riverkeeper's lab with results reported weekly on social media, the [Alliance for the Chesapeake Bay website](#), and the Chesapeake Monitoring Cooperative's [Data Explorer](#).



What are we monitoring?



Fecal Indicator Bacteria (E. coli)

Bacteria can enter waterways from sewage and stormwater runoff. The program analyzes *E. coli*, which serves as an “indicator” of potentially harmful pathogens that can cause illness in humans.



Turbidity

Turbidity is a measure of water clarity, or how much “stuff” is suspended in the water. Suspended sediment can act as a vector for bacteria, so higher turbidity is thought to be associated with higher bacteria.



Acidity or Alkalinity (pH)

pH is the measure of how acidic or alkaline a waterbody is on a scale of 0 (very acidic) to 14 (very alkaline).



Water and Air Temperature

Temperature has daily and seasonal cycles and affects both the biological and physical characteristics of an ecosystem.



How do we analyze samples?

Monitors collect two water samples per site and deliver them to Anacostia Riverkeeper's lab to analyze *E. coli* and turbidity. pH is measured directly at each site using Hydrion litmus paper strips.

E. coli samples are analyzed using the IDEXX Colilert system. Each sample is mixed with a Colilert reagent, poured into a quanti-tray, and placed in an incubator at 35°C for 24 hours. The quanti-tray is then examined under blacklight to count how many wells glow, indicating the amount of *E. coli* in the sample. *E. coli* is reported in Most Probable Number of Coliform Forming Units (MPN) per 100mL of sample.

Turbidity samples are assessed using a LaMotte 2020we/wi turbidimeter, which passes light through the sample to measure its clarity. If a lot of light passes through, turbidity is low, and vice versa. Turbidity is reported in Nephelometric Turbidity Units (NTU).



When is water safe for recreation?

While there are natural bacteria that occur in our waterways, harmful bacteria from the feces of humans and other warm-blooded animals can enter waterways through stormwater runoff and leaks or overflows from the sewer system. The District has recreational [water quality standards](#) to reduce the risk of illness from water contact while recreating in rivers and streams. The District's standards use two measures of *E. coli* (Single Sample Value and Geometric Mean), turbidity, and pH in its water quality criteria. **For a site to pass recreational standards in a given week, it needs to meet all of the below criteria.**

Water Quality Criteria

Single Sample *E. coli*
passes below **410** MPN/100ml

Geometric Mean *E. coli*
passes below **126** MPN/100ml

pH
passes between **6-8.5**

Turbidity
passes below **20** NTU

Single Sample Value (SSV) is the *E. coli* level from the most recent Wednesday's monitoring at each site.

Geometric Mean (GeoMean) is a special average of the last five weeks of single sample *E. coli* values for each site. GeoMean gives a better general sense of a site's water quality, accounting for fluctuations over a longer period of time.

In 2025, we reported weekly results to align with current District recreational water quality standards. In social media posts and in this report, a green icon indicates the site passed all criteria, a yellow icon indicates it failed one criteria, and a red icon indicates it failed more than one criteria in a given week.

*Water quality is generally worse after rain. To track trends with rain, we define "dry" and "wet" conditions where a "wet" day indicates there was more than 0.5 inches of rain in the 72-hours before sampling.

2025 DC Recreational Water Quality Snapshot



2025 Bacteria Monitoring Snapshot

Good water quality

Water-based recreation is usually safe at these sites.

Variable water quality

These sites are highly rain dependent. Check weekly results before recreating here.

Poor water quality

Avoid all water contact at these sites.

Curious about these results? Check out the full water quality report from the DC Citizen Science Water Quality Monitoring program! Learn more about your favorite site or overall trends across District waters.

Reminder: Swimming is illegal in all District waterways.

Good Water Quality

- AR-3: Kingman Island
- AR-6: Buzzard Point
- AR-7: Washington Channel
- PR-2: Fletchers Cove
- PR-6: Tidal Basin
- PR-7: Columbia Island

Variable Water Quality




- AR-4: Anacostia Park
- AR-5: Yards Marina
- PR-4: Washington Canoe
- PR-5b: C&O Canal Lock Mile 0
- RC-3: Broad Branch
- RC-4a: Soapstone Creek
- RC-5: Reservation 630
- RC-6: Below Piney Branch

Poor Water Quality

- AR-1: National Arboretum
- AR-2: Hickey Run
- WB-1: Watts Branch at Marvin Gaye Park
- WB-2: Watts Branch at Kenilworth Park
- PR-1: Battery Kemble Park
- PR-3: Foundry Branch
- RC-1: Juniper St
- RC-2: Pinehurst Branch
- RC-7: Normanstone Run
- RC-8: P St Beach

2025 Water Quality Averages for All Sites

In 2025, water quality results showed similar trends to previous years. The graphic below shows the average values for key water quality criteria for every site in 2025. The dashed line shows the “passing” level for each criteria. While bacteria levels ranged across the monitored sites, all other measures of water quality including pH and turbidity were almost always within the acceptable range.




*Value is the mean per site for each water quality criteria for the 2025 season.

**Note that Geometric Mean *E. coli* is not included here because it is already a calculated special average of 5 weeks of data.




Anacostia River

The program monitors nine sites in the Anacostia watershed: six sites on the mainstem of the river and three in tributary streams. Mainstem sites show consistently better water quality than tributaries, given the increased flow and volume of water. Multiple mainstem locations, especially those far from CSOs, continued to show consistently passing water quality in 2025 — Buzzard Point (AR-6), Kingman Island (AR-3), and Washington Channel (AR-7). The National Arboretum (AR-1) and Anacostia Park (AR-4) had more variable results. Yards Marina (AR-5) was particularly unpredictable this year, with high bacteria levels on some weeks even in dry conditions. Hickey Run (AR-2) and Watts Branch (WB-1 and WB-2), major tributaries flowing through Wards 5 & 7, failed water quality standards every week and continue to be areas that need restoration focus.



Percentage of weeks each site passed *E. coli* water quality criteria (2025)




Recreational Use

Monitors observed 173 people recreating on the Anacostia River on Wednesday mornings. The most common activities were rowing/sculling and power boating. The Washington Channel (AR-7) and Anacostia Park Boat Ramp (AR-4) are great places to recreate, given easy access and relatively good water quality. While shallow, Kingman Lake (AR-3) is a great spot for water-based recreation as well, including free opportunities like DOEE's Anacostia Green Boats program. Buzzard Point (AR-6) had consistently good water quality in 2025, however, it does not currently have a safe access point.

Anacostia Recreation

“ It gets me out along the river. It's a way to see the health of the Anacostia River.

- Jeff Howdeshell



Anacostia Watershed Summary

Better Water Quality for Recreation

Buzzard Point (AR-6)
Kingman Island (AR-3)
Washington Channel (AR-7)
Anacostia Park (AR-4)

mainstem sites passed

75.8%
of the time

tributary sites passed


13.3%
of the time

Potomac River

There were seven sites monitored in the Potomac River watershed, with five on the mainstem and two in tributaries within the District. The Potomac River saw major infrastructure changes this year. DC Water's Potomac Tunnel Project tunnels pass through several of our sites, including Washington Canoe Club (PR-4), C&O Canal Lock Mile 0 (PR-5b), and Tidal Basin (PR-6). Fletcher's Cove (PR-2) and Tidal Basin (PR-6) most consistently passed recreational water quality standards. Fletcher's Cove (PR-2) had a noticeable improvement this season after being highly variable last year. The next best sites were C&O Canal Lock Mile 0 (PR-5b) and Columbia Island Marina (PR-7). These sites often met recreational water quality standards, but bacteria levels occasionally spiked during especially wet days. Washington Canoe Club (PR-4a) is located directly next to both a combined sewer outfall and the ongoing construction from the Potomac Tunnel, and often failed water quality standards. Similar to previous years, the tributary sites Battery Kemble Park (PR-1) and Foundry Branch (PR-3) had poor water quality results in both dry and wet conditions.



Percentage of weeks each site passed *E. coli* water quality criteria (2025)



*Graphic shows percent passing of District criteria for Single Sample *E. coli* and Geometric Mean *E. coli*.

“ I like to connect with the river and find out it's current condition. I enjoy contributing to our region's knowledge about the river's health. I kayak on the Potomac and bicycle on paths that parallel the river.


- Richard Viola



Recreational Use

The Potomac River has the most recreation compared to the Anacostia River and Rock Creek, with 624 recreators observed by monitors through the 2025 season. Rowing, power boating, and paddle/swan boating make up most of the water-based activities. C&O Canal Lock Mile 0 (PR-5b) and Fletchers Cove (PR-2) have rental programs and are great places to get out on the water. Many of the universities and high schools in Northern Virginia and the DC area use the Potomac near C&O Canal Lock Mile 0, for their rowing programs. The Tidal Basin's (PR-6) swan boat rental program continues to be a popular activity, accounting for almost 25% of all observed recreation. This site had the best water quality of the Potomac sites, continuing this trend from last year and suggesting that the Tidal Basin is good for recreation.

Potomac Recreation



Potomac River Watershed Summary

Better Water Quality for Recreation

Columbia Island (PR-7)
Tidal Basin (PR-6)
Canal Mile 0 (PR-5b)
Fletchers Cove (PR-2)

mainstem sites passed

68%
of the time


tributary sites passed

45%
of the time

Rock Creek

Monitoring sites in Rock Creek span from the northern point of DC down to near where Rock Creek converges with the Potomac River. Despite its lush forest cover, Rock Creek and its streams continue to see generally poor overall water quality. While some sites passed Single Sample *E. coli* criteria in dry conditions, only one site, Broad Branch (RC-3), ever passed all water quality criteria, emphasizing the need for restoration in the Rock Creek watershed. Despite having the best water quality, Broad Branch (RC-3) was often stagnant and had low water levels. DOEE is actively investigating illicit sanitary discharges in Pinehurst Branch (RC-2), Soapstone Creek (RC-4a), and Normanstone Run (RC-7) and will continue to find and ensure the repair of illicit connections.

Percentage of weeks each site passed *E. coli* water quality criteria (2025)



*Graphic shows percent passing of District criteria for Single Sample *E. coli* and Geometric Mean *E. coli*.






“ Water quality monitoring allowed me to visit so many new spots in Rock Creek Park! I studied environmental science in college, and I love learning more about water systems in my own community.

- Ella Lucabaugh

Rock Creek Recreation



Recreational Use

Only 6 people were observed recreating in the Rock Creek watershed in 2025. This was mostly contact while hiking, though children were seen playing in the stream twice. Rock Creek Conservancy and NPS implemented the #RecreateResponsibly campaign in 2020 to educate visitors about safe ways to enjoy Rock Creek. Rock Creek Park offers a great retreat from the city and can be enjoyed in many ways without water contact. Please protect yourself by staying on trails and out of the creek.

Rock Creek Watershed Summary

sites passed
55.4%
of the time in dry conditions

sites passed
25%
of the time in wet conditions

THANK YOU TO OUR VOLUNTEERS!

This project would not succeed without the dedication of all our citizen science volunteers who, for the past seven years, have spent their Wednesday mornings collecting samples for this project. We thank them for their time, enthusiasm, and commitment to the District's waterways.

In 2025, the program trained 92 volunteers from all 8 DC wards, Maryland, and Northern Virginia, collected over 1,016 water samples, and provided over 1,900 data points in weekly water quality updates to DC recreators.

“ I spent my professional life in aquatic ecology, and this monitoring program keeps me in touch with water quality issues (at least a little!).

- Marjorie Wellman

“ It is genuinely thrilling to see my single data point plotted alongside hundreds of others across the watershed — a reminder of the power of a collective, community-based effort in safeguarding our waterways.

- Clara Cohen

“ Really liked being able to play a small roll in a scientific project. And, as someone who recreates on the rivers and would like to swim in them, I loved knowing where to find information and loved seeing progress.

- Ann Hackett


“ I like that I am helping collect data that may eventually be used to strengthen regulations or to prove that conditions are improving.

- Cindy Roberts

2025 Season Summary



1,900
data points



508
bacteria samples



92
volunteers



21.5 mi.
of water monitored

Conclusion |

In the seventh year of the DC Citizen Science Water Quality Monitoring program, we continued to capture vital data about the health of District waterways to provide residents with the resources to make informed decisions about their potential water-based recreation.

Sites at Kingman Island, Buzzard Point, Washington Channel, Fletcher's Cove, C&O Canal Lock Mile 0, Tidal Basin, and Columbia Island consistently passed the District's recreational water quality standards. Other mainstem sites have more variability in water quality. Tributary streams consistently fail water quality standards and should generally be avoided. Regardless of a site's historical passing rate, we encourage everyone to check weekly results during the summer before recreating.

The 2025 monitoring season had relatively little rainfall, with drought conditions present for much of the area, especially in the Potomac River watershed. This may have contributed to large increases in bacteria levels measured at some sites after only minimal rainfall, perhaps due to pollutants accumulating on land and being washed into waterways all at once. Results from the 2025 monitoring season emphasize the importance of collecting weekly data across the District to continue to understand patterns in the changes to local water quality. We look forward to measuring the impact of more MS4 improvements across the District, fixes in some illicit connections identified near Watts Branch, and the continued construction of the Potomac River Clean Rivers Project Tunnel.

DOEE funded this work in order to advance scientific and community understanding of safety in our beautiful waterways. Ultimately, all District waterways should be safe and clean enough to support swimming, fishing, and other recreation as well as a healthy aquatic ecosystem. The need to reduce bacterial pollution continues. Let's get the bacteria out and DC back on the water!





Want to become a monitor?

An interest form for future monitoring is on the [Alliance for the Chesapeake Bay's website](#). Follow us on social media or reach out to contact@allianceforthebay.org to stay updated.

Interested in the data?

Check out the Chesapeake Monitoring Cooperative's [Data Explorer](#) to see the full data, or email monitor@anacostiariverkeeper.org for specific questions. During the summer, check social media for weekly results.



**ANACOSTIA
RIVERKEEPER®**



 **nature forward**



Appendices

Do you want to dig into the data more? You'll find more graphics displaying water quality data below. Questions? Contact contact@allianceforthebay.org

Fig. 1: Percent of All DC Sites Passing Single Sample *E. coli* vs. Rainfall




Fig. 2 Percent of Sites Passing Single Sample *E. coli* Under Dry and Wet Conditions (2025)

Watershed	All Sites		Mainstem Sites		Tributary Streams	
	Dry	Wet	Dry	Wet	Dry	Wet
Anacostia	62.7%	37.0%	86.9%	50.0%	14.3%	11.1%
Potomac	76.9%	36.1%	80.0%	40.0%	53.6%	25.0%
Rock Creek	55.4%	25.0%	N/A	N/A	55.4%	25.0%

*“Wet” conditions are defined as more than 0.5 inches of rain in the 72 hours before sampling with rain data from the Community Collaborative Rain, Hail and Snow Network (CoCoRaHS).

**All Rock Creek sites are considered tributaries for this table.

Fig. 3: Anacostia Watershed Sites Single Sample *E. coli* and Rainfall (2025)




Fig. 4: Potomac Watershed Sites Single Sample *E. coli* and Rainfall (2025)




Fig. 5: Rock Creek Watershed Sites Single Sample *E. coli* and Rainfall (2025)





Fig. 6: Average Water Temperature for All Sites (2025)



*Value is the mean per site for each water quality parameter for the 2025 season.

Font color indicates the watershed (AR, PR, RC)